

Date:

B-01-28

Batch No:

124428

Supplier:

Campi Steel

Dart P/O:

18937

Packing Slip:

Yes

☒ No

Invoice:

Yes

☒ No

Receipt:

Cash

☐ Cr ☒

Release Note Attached:

Yes

☒ No

N/A

Waybill Attached:

Yes

☐ No

N/A

Shipment Complete:

Yes

☒ No

N/A

QC6 Inspection

Work Order

8/3/25

N/A

N/A

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK)

Level 12

SP

Production/Admin:

Date

B-01-28

Received/Costing

Initial

SP

Location

# Purchase Order Receipt Listing

February 1, 2013 7:59:22 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO18937 All Receipt Dates All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-CAM002 Campi Steel											
PO18937	1		M1010S16GA	sf	1/29/13	1/29/13	256.0000	\$1.81	0.0000	0	\$462.83
CAD	No		1010/1025 sheet 16GA	sf	256.0000	DESI02		\$462.83	0.0000	0	
			124428								
			M1010S18GA	sf				\$1.15	0.0000	0	\$185.13
	No		1010/1025 SHEET .048	sf	128.0000	DESI02		\$185.13	0.0000	0	
			124428								
					1/29/13	2/01/13	160.0000	\$1.45	0.0000	0	\$231.41
					128.0000	LAVO01		\$231.41	0.0000	0	
	3		M304S11GA	sf	1/29/13	1/30/13	192.0000	\$11.13	0.0000	0	\$2,137.23
	No		304/316 0.125 Sheet	sf	192.0000	DESI02		\$2,137.23	0.0000	0	
			124445								
	4		M304S16GA	sf	1/29/13	1/29/13	192.0000	\$6.38	0.0000	0	\$1,225.65
	No		304/316 Sheet .063	sf	192.0000	DESI02		\$1,225.65	0.0000	0	
			124428								
	5		M304S188	sf	1/29/13	1/30/13	64.0000	\$20.73	0.0000	0	\$1,326.73
	No		304 SHEET 0.188	sf	64.0000	DESI02		\$1,326.73	0.0000	0	
			124445								
	6		M5052H32S.040	sf	1/29/13	1/30/13	64.0000	\$1.52	0.0000	0	\$97.49
	No		5052-H32.040 Sheet	sf	96.0000	DESI02		\$97.49	0.0000	0	
			124445								
	7		M5052H32S.080	sf	1/29/13	1/30/13	32.0000	\$3.71	0.0000	0	\$118.77
	No		5052-H32.080 Sheet	sf	32.0000	DESI02		\$118.77	0.0000	0	
			124445								
	8		M1018R0.375	f	1/29/13	1/29/13	12.0000	\$0.36	0.0000	0	\$4.35
	No		1010-1025 round bar	f	12.0000	DESI02		\$4.35	0.0000	0	
			.375								
			124428								

Purchase Order ID/ Curt Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ Reject Qty	Book Amt
---------------------------------	-----------------------	------------	--	-----------------------	-------------------------------	-------------------	----------------------	------------------------------	--	------------------------	----------

<b>Total Received Quantity:</b>											1,100.0000
<b>Total Qty to Inspect (PO U/M):</b>											0.0000
<b>Total Reject Quantity:</b>											0.0000
<b>Total Receipt Value:</b>											\$5,789.59
<b>Total Balance Due Quantity:</b>											32.0000





**DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS  
STEEL AND SPECIALTY METALS DISTRIBUTOR**

On a du Savoir " 732 "

**"78R"**  
**On a du Savoir**

2010

PAGE N°

PAGE N°

100

1. *Chlorophyll a* (Chl *a*)

Time of Day	Sleeping (%)	Resting (%)	Walking (%)	Standing (%)	Sitting (%)	Eating (%)
0	10	10	5	5	5	5
4	10	10	5	5	5	5
8	10	10	5	5	5	10
12	10	10	5	5	5	15
16	10	10	5	5	5	10
20	10	10	5	5	5	5
24	10	10	5	5	5	5

[illegible]

10

**Figure 1**

10

Figure 1 is a line graph showing the percentage of correct responses for the 100-item test across four groups: 100% correct, 90% correct, 80% correct, and 70% correct. The x-axis represents the number of items (0 to 100). The y-axis represents the percentage of correct responses (0% to 100%). The 100% correct group shows a sharp increase in correct responses starting around item 20, reaching 100% by item 40. The 90% correct group shows a similar pattern but with a lower peak. The 80% correct group shows a more gradual increase, and the 70% correct group shows the lowest performance overall.

10

10

10

Dofasco

11/20/2012 9:28:22 AM PAGE 6/008 Fax Server

ArcelorMittal Dofasco Inc.  
P.O. Box 2460  
Hamilton, Ontario  
L8N 3J5

Purchase Order/Bon de Commande  
C46640 NOV  
Bill of Lading/Connaissance  
543592  
Sold To/Vendu A

TEST REPORT  
RAPPORT D'ESSAI

Page 1 of 1

Attention: Louise Filion  
Fax: 91450 669 0633  
Date: 11/20/2012

Customer/Client Sales Order/Bon de Commande  
563921 BS 313605002 Vendor/Vendeur  
Packing Slip/Bordereau de Charge Vehicle or Carrier/Vehicule ou Transporteur  
TBA  
Ship To/Expédier A

Spec/Norm et Spec.  
ASTM A1008/A1008M/12 CS TYPE B  
STD ASTM'S FOR HDG GT.075(2MM), WELD OK  
STANDARD UNEXPOSED SURFACE  
STANDARD FLATNESS - ASTM FULL TOLERANCE  
MATERIAL CERTIFICATION REQUIRED

Material Description/Description du Material  
COLD ROLLED STEEL SHEET  
COMMERCIAL STEEL  
COILS  
MATTE FINISH OILED

.0550 MIN .0590 X 48.375 X COIL  
Weight - 22970 LBS  
Test Methods  
ASTM E1019, E415

HEAT  
COULEE  
755177

SERIAL NUMBER  
NOMBRE DE SERIE  
VS4970/03

LIFT NUMBER  
NOMBRE DE  
FARDEAU  
5239830

HEAT Data not covered by Dofasco ISO/IEC 17025 Scope of Accreditation  
COULEE C Mn P S Si Cu Ni Cr Sn Mo Als Alt Cb V Ti Ca N B O  
755177 .05 .19 .005 .010 .003 .05 .02 .03 .005 .003 .033 .034 .001 .001 .002 .0001 .0039 .0000 0

We Certify That The Material Described Herein Conforms To The Specification Shown On This Document  
ArcelorMittal Dofasco Inc. as per Diane Skupny-MacBride - CMTL Supervisor  
This Report Shall Not Be Reproduced Except In Full Without The Expressed Written Approval of The CMTL Supervisor.  
This Contract Is Subject To The Terms And Conditions Of Sale Shown On The Order Acknowledgement.  
Ce Contrat est Sujet aux Termes et Conditions de Vente Indiqués Sur l'Accuse de Reception de Commande.



IC No., Date & Time:	ESA-19564 2012/10/21 - 09:26:09
Customer PO No.:	

Supplementary Instructions : Test Cert 1:PAGE@SAMUEL.COM  
Insp T/R : Chemical Analysis

1. 100% animalated 100 Standard Surface Improved Shape Pickled Oil Light Oiled Matte Finish Edge Saalant Required

ESSAR STEEL ALGOMA INC. HEREBY CERTIFIES THAT THE MATERIAL HEREIN DESCRIBED WAS MADE AND TESTED IN ACCORDANCE WITH THE RULES OF THE SPECIFICATION SHOWN. ALL RESULTS ARE RETAINED IN ACCORDANCE WITH COMPANY'S STANDARD RECORD KEEPING PRACTICES. THIS MILL TEST REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL WITHOUT WRITTEN APPROVAL OF ESSAR STEEL, ALGOMA INC. IF YOU REQUIRE INSTRUCTIONS ON THE METHOD OF DISPOSAL OF DOCUMENT.

MEETS EN 10204 3.1

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	--

ISO QUALITY AND ENVIRONMENTAL CERTIFICATES AVAILABLE AT WWW.ESSARSTEEL.COM  
HEATS INDICATED WITH (\*) MADE IN CANADA WITH DOMESTIC AND FOREIGN RECYCLED STEEL ALLOYING

ISSUED BY: ESAR STEEL ALLOYING INC. IF YOU RECEIVE THIS DOCUMENT AND ARE NOT THE INTENDED RECEIVER, PLEASE CALL: (705)964-1005 FOR FURTHER INFORMATION.

Dimensions (T x W x L)  
0.0440" x 48.000"

BATCH NO.		HEAT NO.-MS	
TAC3000			

Quenelba

[illegible]

	V	B	Tl	N
0.000	0.000	0.007	0.0047	
0.026	0.000			
0.00				
0.04				
0.02				
0.02				
0.010				
0.009				

**\*\*WARNING\*\*** THE TEST RESULTS AND VALUES REPORTED HEREIN INDICATE ONLY THAT (1) THE PARTICULAR STEEL FOR WHICH THIS CERTIFICATE IS ISSUED MEETS THE MINIMUM SPECIFIED YIELD STRENGTH AND (2) THE ANALYSIS AND PHYSICAL PROPERTIES OF SUCH STEEL ARE IN CONFORMANCE WITH THE REQUIREMENTS OF THE SPECIFICATION INDICATED. THE RESULTS OR VALUES REPORTED HEREIN CAN NOT BE USED TO QUALIFY THE STEEL FOR ANY SPECIFICATION OTHER THAN THE ONE INDICATED AND CANNOT BE RELIED UPON FOR ANY PURPOSE INCLUDING DESIGN OR CALCULATIONS AS REPRESENTING THE ACTUAL STRENGTH OF SUCH STEEL.

Date:2012/10/21 Time:09:26:09 Page no:1 of 1



# CERTIFICATE OF ANALYSIS CERTIFICAT D'ANALYSE

SV  
OE  
LN  
DD  
U  
T  
OA

SE  
HX  
IP  
PE  
D  
TI  
OE

DATE

CUSTOMER ORDER NO.  
NO. DE LA COMMANDE DU CLIENT

00-38644

MILL ORDER NO. 223941-00  
NO. DE LA MILL

PRODUCT DESCRIPTION  
PRODUIT DESCRIPTION

FM01902015

YOUR ITEM # :

3/8 RD 1018 12 FT 00 IN

COLD FINISHED STEEL BARS CARBON  
COLD DRAWN

STANDARD AISI TOLERANCES

C .15/.20 MN .60/.90 P .040MAX S .050MAX

TRANSPORT BY TRUCK - PROTECT WITH TARP

ASTM A108

BILL OF LADING  
BON DE CONNAISSANCE

8/3/25

COUNTRY OF ORIGIN - CANADA  
HOT ROLL SOURCE : ARCELORMITTAL  
NAFTA CERTIFIED YES: X NO:

LADLE ANALYSIS/ANALYSE DE LA COULLEE A COULER

HEAT NUMBER D81830

C.	.187	MN.	.760	P.	.006	S.	.011
SI.	.180	CU.	.060	NI.	.040	CR.	.040
CB.		V.	.003	MO.	.026	PB.	
PB.		AL.	.001	SN.	.003		

MECHANICAL PROPERTIES/PROPRIETES MECANIKES

YIELD STRENGTH  
LIMIT D'ELASTICITE

P.S.I. @ .2% OFFSET

TENSILE STRENGTH  
RESISTANCE A LA TRACTION

P.S.I.

ELONGATION (2 INCHES)  
ALLONGEMENT

%

REDUCTION OF AREA  
STRICTION

%

HARDNESS  
DURETE

☐ MAG  
TEST

☐ ROTO  
TEST

☐ ULTRA  
SONIC TEST

NO WELDING OR WELD REPAIR PERFORMED ON THIS MATERIAL.  
THIS MATERIAL WAS NOT EXPOSED TO MERCURY DURING  
PROCESSING OR WHILE IN OUR POSSESSION.

WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HAS BEEN TESTED IN ACCORDANCE  
WITH SPECIFICATION, AND THAT THE RESULTS ARE CORRECT AS CONTAINED IN THE  
RECORDS OF THE COMPANY.

PAR LES PRESENTES NOUS CERTIFIONS QUE LA MATIERE DECRITE A ETE TESTEE  
CONFORMEMENT AUX SPECIFICATIONS ET QUE LES RESULTATS SONT CORRECTS, COMME  
INDIQUE DANS LES REGISTRES DE LA COMPAGNIE.

PER/PAR

ADNANMERKZEUGNIS  
INSPECTION CERTIFICATE  
CERTIFICAT DE RECEPTION  
nach / according to / suivant  
EN 10204-3.1

1000407474 /

Seite / Page / Page:

1 / 1

54270

Oberschlesienstrasse 16, 47807 Krefeld

Besteller/Empfänger / Customer/Consignee / Acheteur/Destinataire

Kundenbestellnr. / Customer's order number / Numéro de la commande du client  
51003755

Werksauftragsnr. / Manufacturer's works order no / N° de la commande de l'usine production  
900432599 / 005

Lieferanzzeige Nr. / Delivery Note No. / Avis d'expédition N°.  
87481558 / 010

Erzeugnis / Product / Produit  
BLECH/SHEET/TOLE

Lieferbedingungen / Terms of delivery / Conditions de livraison

ASTM A 666-10

SAE AMS 5513 J

ASTM A 240/A 240M

ASME SA 240/SA 240M Sec.II Part A Ed.2010 Add.11

Stahlsorte und Gütegruppe / Steel grade and quality / Nuance de l'acier

Type 304

Kundenmaterial-Nr.  
Customer's material number  
N° de matière du client

P202017

Maße des Erzeugnisses ( Dicke / Breite / Länge )  
Product dimensions ( Thickness / Width / Length )  
Dimensions du produit ( Epaisseur / Largeur / longueur )

0.0579 inch x 48.0000 inch x 96.0000 inch

Herstellart  
Steelmaking proc.  
Mode d'elabor.

AOD

Ausführung  
Finish  
Finl

IIIc / 2B

Paket-Nr. Packing-No. N° Paquet	Stückzahl No of pieces N° de pièces	ist-Gewicht Actual weight Masse effective	Ident-Nr. Erzeugnis Ident-No of product Ident-N° du produit	Schmelzennr. Cast number Id. de la coulée	Proben-Id. Sample id. Emplou prélèvement	Proben-Id. Sample id. Emplou prélèvement
8506130	48	3.668 lbs	258117	875220	1002675027	1002675028
8506137	48	3.668 lbs	258117	875220	1002675027	1002675028
8506144	48	3.677 lbs	258117	875220	1002675027	1002675028
	144	11.013 lbs				

Schmelzennr. / Cast no.	Chemische Zusammensetzung / Chemical composition / Composition chimique									
875220	% C	% Si	% Mn	% P	% S	% Cr	% Ni	% N	% Mo	% Cu
	0.037	0.43	1.28	0.027	0.0020	18.14	8.03	0.062	0.15	0.43

Prüflos/Inspection lot Lot de contrôle Proben-Id./Lage Sample id./Position Ident./emplou prélèvement	QUER															0.027	0.0020	18.14	8.03	0.062	0.15	0.43	
	YS0,2%		YS1,0		TS		El.A2"		HV		HRB												
	PSI		PSI		PSI		%		HV		HRB												
1002675027	42784	46990	91660				55.0		164		81.0												
1002675028	43800	48151	91370				54.5		172		81.0												
Beständig gegen Interkrist. Korros./Resistant to intercryst. corros./Résistant à la corros. intermétal.																							

Beständig gegen Interkrist. Korros./Resistant to intercryst. coros./Resistant à la coros. Interkrist.:

EN ISO 3651-2 I.O.

ASTM A 262 PRACTICE E I.O.

Maße-Oberfläche/Dimensions-Surface/Dimensions-Surface:

Verwechslungsprüfung (Spektralanalyse)/Test of identity (spectrum analysis)/Contrôle d'identification (analyse spectrale):

WAERMEBEHANDLUNG : 1050 GRAD C / LUFT

TRAITEMENT TERMIQUE : 1050 GRAD C / AIR

HEAT - TREATMENT : 1050 DEGREE / AIR

TKNM875220 PDF

Aussteller der Bescheinigung/ Originator of the document / Auteur du document

Butzen

Abnahmebeauftragter  
Inspector / Expert  
Tel: 02151-832447  
Fax: 02151-834106

Stempel des (der) Abnahmebeauftragten  
Receiving agent's stamp  
Poinçon de l'agent réceptionnaire



Datum der Ausstellung und Bestätigung  
Date of issue and validation  
date d'émission et validation

17.08.2012

P202017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1952

## PURCHASE ORDER

Purchase Order ID PO18937

Purchase Order Date 1/24/13

PO Print Date 1/24/13

Page Number 1 of 3

Order From :

CAMPI STEEL  
935 BOUL. DU HAVRE  
VALLEYFIELD, QC J6S 5L1  
CA

VC-CAM002

Contact Name

Vendor Phone 800 667 4248

Vendor Fax 450 377 5696

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**  
1/24/13

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M1010S16GA ✓	1010/1025 sheet 1048	1/29/13 Yes	256.00 sf	Yours ppd	✓ \$1.7988	\$460.48
		Special Inst: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W MINIMUM YIELD TENSILE STRENGTH= 28KSI MINIMUM ULTIMATE TENSILE STRENGTH= 42KSI COLD ROLLED					
2	M1010S18GA ✓	1010/1025 SHEET 1048	1/29/13 Yes	✓ 128.00 sf	Yours ppd	\$1.4390	\$184.19
		Special Inst: SAME AS ABOVE					
3	M304SI1GA	304/316 0.125 Sheet	1/29/13 Yes	192.00 sf	Yours ppd	\$11.0749	\$2,126.39

Change Nbr: 1

Change Date: 1/24/13

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required **YES** NO



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO18937**

Purchase Order Date 1/24/13

PO Print Date 1/24/13

Page Number 2 of 3

**Order From :**

CAMPI STEEL  
935 BOUL. DU HAVRE  
VALLEYFIELD, QC J6S 5L1  
CA

C-CAM002

**Contact Name**

**Vendor Phone** 800 667 4248

**Vendor Fax** 450 377 5696

**Vendor Account Nbr**

**Buyer**

Chantal Lavoie

**Requisition Nbr**

**Tax Resale Nbr**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

**Special Inst:**

MATERIAL: AISI 304/316 SS SHEET  
ANNEALED 2B FINISH  
AS MIL-S-5059 OR AMS 5513 (304) OR  
AMS 5524 (316)  
OR ASTM A240 OR ASME SA240

QTY	Part Number	Description	Unit	Price	Material	Finish	Notes	Unit Price	Total Price
4	M304S16GA ✓	304/316 Sheet .063	1/29/13	192.00	Yours	ppd		\$6.3512	\$1,219.43
			Yes	sf					

**Special Inst:**

SAME AS ABOVE

5	M304S188	304 SHEET 0.188	1/29/13	64.00	Yours	ppd		\$20.6250	\$1,320.00
			Yes	sf					

**Special Inst:**

SAME AS ABOVE

6	M5052H32S.040	5052-H32 .040 Sheet	1/29/13	96.00	Yours	ppd		\$1.5156	\$145.50
			Yes	sf					

**Special Inst:**

MATERIAL: 5052H32 ALUMINUM SHEET  
AS PER QQ-A-250/8 OR AMS-QQ-A-250/8  
OR AMS 4016  
OR ASTM B209

7	M5052H32S.080	5052-H32 .080 Sheet	1/29/13	32.00	Yours	ppd		\$3.6928	\$118.17
			Yes	sf					

**Special Inst:**

SAME AS ABOVE

8	M1018R0.375 ✓	1010-1025 round bar .375	1/29/13	12.00	Yours	ppd		\$0.3608	\$4.33
			Yes	f					

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required - YES NO

Change Nbr: 1

Change Date: 1/24/13



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO18937**

Purchase Order Date 1/24/13

PO Print Date 1/24/13

Page Number 3 of 3

**Order From :**

VC-CAM002

CAMPI STEEL  
935 BOUL. DU HAVRE  
VALLEYFIELD, QC J6S 5L1  
CA

**Contact Name**

**Vendor Phone** 800 667 4248

**Vendor Fax** 450 377 5696

**Vendor Account Nbr**

**Buyer**

Chantal Lavoie

**Requisition Nbr**

**Tax Resale Nbr** 10127-2607

**Terms** Net 30

**Currency** CAD

**FOB**

Destination-Collect

**Special Inst:** MATERIAL: AISI 1018-1025 ROUND BAR  
AS PER MIL-S-7097 OR ASTM A108

**PO Total:**

**\$5,578.49**

**MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY**

No substitution or deviation without  
consent.

Certificate of Conformity or Material  
Certification required - YES NO

**Change Nbr:** 1

**Change Date:** 1/24/13